II-C Data Files

Agencies can obtain data files for standard reports, system generated daily and monthly batch reports, CALSTARS Financial Master files and tables. Data files, also called data sets, are stored at the Office of Technology Services (OTech) under specific data set names. Data sets are available for standard reports for fourteen days and for Table and File Copy for seven days. Data sets can also be retained for long-term report storage.

This chapter includes the following topics:

✪ Requesting data files

✪ Data set naming conventions

✪ Accessing data sets

✪ Accessing E1 data sets

✪ Monarch software.

The following sections describe how to request a data set of a standard report system generated report, table, and file. Additional detailed information regarding the Table and File copy processes and standard and system generated report long-term storage is provided in this chapter. For detailed information about requesting standard reports, refer to Chapter II-A in this volume. To view the available options for a specific report, refer to the individual report chapter (Chapter III) in this volume.

REQUESTING DATA FILES

All data files, except system generated reports, are requested from the CALSTARS Main Menu through Command **G**, Report/File/Table Requests/Printer Opts screen as described in the following sections.

Data Sets Of Standard Reports

Data sets of Standard reports are requested through Command **G.3** by keying a **D** or **F** in the Output Destination field on the Report Selection Options screen. Data sets are also created when an **N** is keyed in the Output Destination field when requesting immediate reports, but these data sets are not retained as long as data sets requested with a **D**.

Data Sets Of Standard Reports For Long-term Storage

Standard reports for long-term storage are requested by keying an **E** in the Output Destination field on the Report Selection Options screen. When the **E1** Output Destination code is keyed on the Report Option Selection screen, a data set is created at OTech. The data sets created for long-term storage at OTech are referred to as **E1** files. Although the **E1** files are similar to other reports requested with a **D1** or **F1** Output Destination, the **E1** files are only produced in zip-compressed format and their retention periods are longer.

Only one version of an **E1** report file per fiscal month is retained for standard reports. If an **E1** report file is ordered with the same level of detail and options as a previous report for the same fiscal month, the new file overwrites (overlays) the old file. Therefore, care must be taken to vary the reporting options when ordering pre and post Cost Allocation/Fund Split reports with an **E1** output destination.

NOTE: No warning message is issued when a file is overwritten.

Creating data sets for long-term storage at OTech is an efficient, cost effective method of archiving reports. All standard reports, with the exception of the ET1 (Time Sheet Exception Report), ET2 (Time Sheet Turnaround Documents), and QC1 (Cost Allocation Exception Report), may be stored as data sets at OTech.

Data Sets Of System Generated Reports

To request a data file of a system generated report, send an e-mail to calstars@dof.ca.gov and include the following information:

✪ 'Report Routing' in the subject line of the e-mail

✪ Organization Code

✪ Report ID and Title (refer to www.dof.ca.gov/html/calstars/SysGenRept.htm)

✪ Specify designation D1 or E1

✪ Type of change - Indicate if the request is a permanent change or if the data file is needed only one time.

Data Sets Of System Generated Reports For Long-term Storage

When a system generated report has a **E1** Output Destination code it is created at OTech. The data sets created for long-term storage at OTech are referred to as **E1** files. Although the **E1** files are similar to a **D1** Output Destination, the **E1** files are only produced in zip-compressed format and their retention periods are longer.

Each version of an E1 report file will be retained for system generated reports with date and time. Therefore, care must be taken to determine if the E1 option is appropriate for the System Generated Report you are requesting, because some System Generated Reports are generated daily and storage cost can increase significantly.

Data Sets Of Tables

The following types of data sets of tables are available through Command **G.1**, Request Table Copy:

Table data - is available for both Statewide and Agency tables. Statewide tables are maintained by CALSTARS staff and are established in accordance with the Uniform Codes Manual.

Record layout - is a listing of the *format* of the table, which includes the key length, data sequence and record length, field name, field size and data characteristics of each field.

An example of the Table Copy screen is shown here:

```
9990 G.1: Request Table Copy                              12-09-2004 03:23 PM

 Enter under F below: (D=File Data, L=Record Layout)

 F             TABLE NAME              F              TABLE NAME
 - -----------------------------      - -----------------------------
 _  Appropriation Symbol    - AS      _  DGS Invoice Allocations   - EA
 _  Budget Sequence         - BS      _  DGS Services              - OD
 _  Cost Allocation         - CA
 _  Employee Master File    - EF
 _  Index Code              - IC
 _  Organization (Descriptor) - DT
 _  PCA                     - PA
 _  Project Control         - PC
 _  Statewide (Descriptor)  - DT
 _  Timesheet               - TS
 _  Vendor Edit             - VE




 Command:
 Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
       Help  Retrn Quit                                                 Main
```

To request a copy, key a **D** (file data) or **L** (record layout) in the "F" column to the left of the desired table(s) and press **Enter**. When the copy request is accepted, the **D**(s) in the "F" column change to * and the **L**(s) change to **#**.

If another request is submitted before the screen is exited, the **#** or * indicators for the previous requests are displayed in one color and the **#** or * indicators from the most recent request are displayed in a different color. These indicators remain on the screen until the screen is exited. If the screen is exited and the screen is accessed again, the "F" column is blank.

When a table copy is requested, the table does not include maintenance performed that day. The table includes data **as it existed after the last nightly update** (IEUP cycle). Since the copy of the table is 'as it existed' after the last IEUP cycle, there is no reason to request a second copy on the *same* day. If a second copy is accidentally requested, a second copy exists as well as the cost associated with the duplicate request.

When a record layout is requested, the record layout is copied from the CALSTARS production file **as it exists at the time the request is made**.

Data Sets Of Files

Data sets of files are available through Command **G.2**, Request File Copy. File copies can be requested for agency specific CALSTARS timesheets, budget files and various financial files, e.g., Operating File, History File, Vendor Payment File. The data selected is based on the logon Organization Code.

An example of the File Copy screen is shown here:

```
9990 G.2: REQUEST FILE COPY                             12-09-2004 03:21 PM


Enter under F: D=File Data, L=Record Layout,
               U=Data with Unpacked Fields, R=Layout with Unpacked Fields
F               FILE NAME                 F               FILE NAME
- ----------------------------------      - ----------------------------------
_   Allotment                  - AL       _   Operating                  - OP
_   Appropriation              - AP       _   Payroll Extract            - PE
_   Cash Control               - CC       _   Schedule 10  - Current Year - B1
_   Check                      - CK       _   Schedule 10  - Prior Year   - B2
_   Document                   - DF       _   Schedule 10R - Current Year - B3
_   General Ledger             - GL       _   Schedule 10R - Prior Year   - B4
_   Grant Project              - GP       _   Subsidiary                 - SF
_   History - Current Month    - HY       _   Vendor Payment             - VP
_   History - Prior Month      - HY       _   Warrant Number File        - WN
_   History - Prior Year (FM 13) - HY
_   Labor Transaction          - LT


Command:
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Retrn Quit                                                   Main
```

To request a file copy, key a **D** (file data) or **L** (record layout) in the "F" column to the left of the desired table(s) and press **Enter**. When the copy request is accepted, the **D**(s) in the "F" column change to * and the **L**(s) change to **#**.

The Request File Copy screen has two additional functions, **U** for Data with Unpacked Fields and **R** for Layout with Unpacked Fields. The **U** and **R** functions may only be selected for files that currently have packed amount fields, which are Allotment, Appropriation, Cash Control, Check, Document, General Ledger, Grant Project, Operating, Payroll Extract, Subsidiary, and Vendor Payment.

Except for the History Files and Budget Files, the Request File Copy produces a copy of the entire file. No selection options are available as when requesting Standard Reports.

The Request File Copy screen provides three options for History File (HY) transactions:

Current Month -   Transactions coded with the Current Fiscal Month ending with transactions successfully posting the previous processing night.

Prior Month -   Transactions coded with the Prior Fiscal Month.

Prior Year -   Transactions coded with FM 13. Data is only available in an FM 13 file between June 30 and the date an agency runs the Year-end Close process.

If another file copy request is submitted before the screen is exited, the **#** or ***** indicators for the previous requests are displayed in one color and the **#** or ***** indicators from the most recent request are displayed in a different color. These indicators remain on the screen until the screen is exited. If the screen is exited and the screen is accessed again, the "F" column is blank.

When a file copy is requested, the file does not include maintenance performed that day. The file includes data **as it existed after the last nightly update** (IEUP cycle). Since the copy of the file is 'as it existed' after the last IEUP cycle, there is no reason to request a second copy on the *same* day. If a second copy is accidentally requested, a second copy exists as well as the cost associated with the duplicate request.

When a record layout is requested, the record layout is copied from the CALSTARS production file **as it exists at the time the request is made**. An example of the file layout for the Check File is displayed in Exhibit II-C-1.

The file copy is transferred to the Node/Userid specified in **Part II** on the CALSTARS Security Form (CALSTARS 95). Note that if the Node/Userid is left blank on the form, the default Node/Userid (OTech/CSOrg#) are used. If the node is at OTech, the process should take only fifteen or twenty minutes. If the node is a remote node, the process may take as long as six hours depending on (1) the size of the file copy and (2) the volume of traffic on the communication line. If the file is not available, call the Production Control Unit at (916) 323-7541.

Table And File Copy Retention And Costs

Table Copy and File Copy data sets sent to an OTech Node/Userid have a **7-day retention period**. Files (data sets) sent to other Node/Userids cannot be tagged with a limited retention period.

<u>**Recommendation**</u>**: Extract data or run agency programs against the Table Copy and File Copy data as soon as practical**. This should help keep data storage costs to a minimum and conserve storage resources (storage costs may significantly exceed the file copying costs). Once the data has been used, the Table Copy and File Copy files should be purged (**D**-Delete data set).

Each agency using Table Copy and File Copy pays for the actual usage cost. Once the data set is sent to the agency's Node/Userid, storage costs for those files are the agency's responsibility.

EXHIBIT II-C-1
SAMPLE OF A FILE LAYOUT FROM COMMAND G.2 FILE COPY

```
* * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
*           BEGINNING OF COPY MEMBER  CK$VREC              *
*                     CHECK FILE                           *
*                  RECORD LENGTH  105                      *
*                  KEY    LENGTH   23                      *
*            PRIOR CHANGE DATE: 03-01-86 (GY)              *
*            CURRENT CHANGE DATE: 08-14-96 (VFS)           *
* * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *


 01  CK-RECORD.
    03  CK-CONTROL-KEY.
      05  CK-ORG-CODE                PIC X(4).
      05  CK-CHECK-NUMBER.
        07  CK-CHECK-ACCOUNT-NUM     PIC X(3).
        07  CK-CHECK-SEQUENCE-NUM    PIC X(6).
      05  CK-FUND4.
        07  CK-FUND-1                PIC X.
        07  CK-FUND-NUMBER           PIC X(3).
      05  CK-SUB-FUND4.
          07  CK-SUB-FUND-1           PIC X.
          07  CK-SUB-FUND2-4          PIC X(3).
      05  CK-SEQUENCE-NUMBER         PIC 9(2).
    03  CK-I-INFORMATIONAL-ELEMENTS.
      05  CK-I-CHECK-DATE8.
        07  CK-I-CHECK-DATE-CC       PIC X(2).
        07  CK-I-CHECK-DATE.
          09  CK-I-CHECK-YY          PIC X(2).
          09  CK-I-CHECK-MM          PIC X(2).
          09  CK-I-CHECK-DD          PIC X(2).
      05  CK-I-CHECK-AMT-X.
        07  CK-I-CHECK-AMT           PIC S9(9)V99 COMP-3.
      05  CK-I-REVERSE               PIC X.
      05  CK-I-VENDOR-ID.
        07  CK-I-VENDOR-NO           PIC X(10).
        07  CK-I-VENDOR-SUFFIX       PIC X(2).
      05  CK-I-VENDOR-NAME           PIC X(30).
      05  CK-I-TRANS-YEAR4.
        07  CK-I-TRANS-YEAR-CC       PIC X(2).
        07  CK-I-TRANS-YEAR          PIC X(2).
      05  CK-I-FISCAL-MONTH          PIC X(2).
      05  FILLER                     PIC X(19).


* * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
*             END OF COPY MEMBER  CK$VREC                  *
* * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
```

Prerequisites For Using Table Copy And File Copy

To order table and file data sets, agency staff must have access to the G.1 Table Copy and G.2 File Copy screens. Like other Main Menu functions, access to the Table Copy (Command **G.1**) and File Copy (Command **G.2**) is controlled through the Signon ID. One or more agency staff can have access to these functions. Agencies must request this access through the submission of CALSTARS Security Forms. (CALSTARS 95) The forms will need to specify a Node/Userid if different from the default Node/Userid (OTech/CSorg#).

NOTE: The **agency** CALSTARS Security Officer should have the form and instructions.

To use the data files produced by the Table Copy and File Copy, an agency needs to have access to the Node/Userid where the CALSTARS files are transmitted. The agency also must have a certain level of expertise to make use of the data once it is available. This expertise includes the ability to use data center software or to download the data to an agency facility for further processing. It is also important that the individuals working with the raw file data have knowledge of accounting and the accounting objectives that each of the files is designed to accomplish.

DATA SET NAMING CONVENTIONS

A standard naming convention is used to define the *content* and *origin* of the data set. All data sets created through Command **G.1**, **G.2**, and **G.3** are cataloged in a library until OTech system or agency maintenance is performed, whichever occurs first. Exhibits II-C-3, II-C-5, and II-C-7 display the naming convention for each type of data set, give an example of a data set name for each Output Destination type, and describes what each component of the data set name represents. The standard naming convention is also displayed for system generated reports in Exhibits II-C-4 and II-C-6.

EXHIBIT II-C-3
COMMAND G.3 (CALSTARS STANDARD REPORT REQUEST)
DATASET NAMING CONVENTION

Source	Naming Convention									
Record Key ===>	1	2	3	4 5 6			7 8		9	10
Standard Report Request - Data (**D1**)	**CS***9990.***CSTAR***B04.***R***PME0001.***D***Q.***D***2121217.***T***204408*									
Standard Report Request - 'Now' (**N1**)	**CS***9990.***CSTAR***Q12.***R***PME0230.***N***Q.***D***2121217.***T***134358*									
Standard Report Request - File (**F1**)	**CS***9990.***CSTAR***Q16.***R***PME0001.***F***Z.***D***2121217.***T***134359*									

RECORD KEY:

1 – CS = stands for "**C**AL**S**TARS"

2 – *9990* = Organization Code of request/user

3 – CSTAR = CALSTARS standard report

4 - *B04* = 3-digit report ID (e.g., ***B04***, ***H00***, ***Q16***, etc.)

5 – R = Requestable report

6 – *PME0001* = Level of report detail (FM = ***PM*** or ***CM***, ***PY***, ***01-13***; Period = ***E*** or ***M***, ***Y***, ***C***, ***P***, ***I***, -; **and** I-P-O-F = ***0001*** or various 0-9)

7 – D = report Destination Code (***D*** - Data, **F** - File, **N** - Now)

8 – Q = data compression (***Q*** - unzipped text file, **Z** – zipped text file) *

9 – D*2001217* = Date ('**D**') 1-digit Century, Year, Month and Day (***2121217*** = December 17, 2012)

10 – T*134358* = Time ('**T**') file created, hhmmss (***134358*** = 1:43:58 PM)

EXHIBIT II-C-4
SYSTEM GENERATED REPORTS
DATASET NAMING CONVENTION

Source	Naming Convention							
Record Key ===>	1 2	3	4	5 6	7	8		
System Generated Report Request - Data (**D1**)	**CS***9990***.CFBH00-1.SYSGENED.DQ.D***2121217***.T***204408*							
System Generated Report Request - 'Now' (**N1**)	**CS***9990***.CFB080-1.SYSGENED.NQ.D***2121217***.T***134358*							
System Generated Report Request - File (**F1**)	**CS***9990***.CFB100-2.SYSGENED.FZ.D***2121217***.T***134359*							

RECORD KEY:

1 – CS = stands for "**C**AL**S**TARS"

2 – *9990* = Organization Code of request/user

3 – WWWWWWWW = Report ID (e.g., **CFB800-4**etc.)

4 – SYSGENED = System Generated

5 – D = report Destination Code (*D* - Data, **F** - File, **N** - Now)

6 – Q = data compression (*Q* - unzipped text file, **Z** – zipped text file) *

7 – D*2001217* = Date ('**D**') 1-digit Century, Year, Month and Day (*2121217* = December 17, 2012)

8 – T*134358* = Time ('**T**') file created, hhmmss (*134358* = 1:43:58 PM)

*   Data Sets ordered with a Destination Code of '**D**', '**F**' or '**N**' are created with "unzipped" (uncompressed) **and** "zipped" (compressed) versions. Compressed report files can be as much as 95% smaller than the uncompressed file and download proportionally faster. However, once downloaded, the compressed file must be expanded in the local environment (at the agency) using PKUNZIP or other software such as WINZIP. This software is widely available, easy to use and requires only a few minutes to execute.

Source	Naming Convention										
Record Key ===>	1	2 3	4 5	6 7	8 9	10 11	12 13 14				
Standard Report Request – Electronic Storage (E1)	**CS**.**ES**2222.**FM**333344.WWWX5555.**GL**6666.**M**VV.**EZ**										

RECORD KEY:

1 – **CS** = fixed field denoting **C**AL**S**TARS

2 – **ES** = fixed field denoting **E**lectronic **S**torage

3 – 2222 = Organization Code of request/user

4 – **FM** = fixed field denoting **F**iscal **M**onth

5 – 3333 = Fiscal Year

6 – 44 = Fiscal Month

7 – WWW = Report ID (e.g., B04, H00, Q16, etc.)

8 – X = P Indicator ("X" is the placeholder if P option is blank)

9 – 5555 = Level of detail (IPOF)

10 – **GL** = fixed field denoting GLAN option (if selected)

11 – 6666 = GLAN Option (if selected)

12 – **M** = fixed field denoting **M**onth option

13 – VV = FM Option

14 – **EZ** = fixed field denoting **E**lectronic **Z**ipped

Source	Naming Convention							
Record Key ===>	1	2	3	4	5	6	7	8
System Generated Report Request – Electronic Storage (E1)	**CS**.**ES**9990.CFB800-4.**SYSGE**.**D2121102.T182546.EZ**							

RECORD KEY:

1 – CS = fixed field denoting **C**AL**S**TARS

2 – ES = fixed field denoting **E**lectronic **S**torage

3 – 2222 = Organization Code of request/user

4 – WWWWWWWW = Report ID (e.g., CFB800-4etc.)

5 - SYSGE = System Generated

6 – D*2001217* = Date ('**D**') 1-digit Century, Year, Month and Day (*2001217* = December 17, 2000)

7 – **T***134358* = Time ('**T**') file created, hhmmss (*134358* = 1:43:58 PM)

8 – **EZ** = fixed field denoting **E**lectronic **Z**ipped

EXHIBIT II-C-7
COMMAND G1 AND G.2 (CALSTARS TABLE AND FILE COPY)
DATASET NAMING CONVENTION

Source	Naming Convention						
Record Key ===>	1	2	3	4	5	6	7
Agency Descriptor Tables **D**-Data	**CS***9990*.**DATA.DT***9990*.**QSAM. D***2121124*.**T***102247*						
Stwde Descriptor Tables **D**-Data	**CS***9990*.**DATA.DT***0000*.**QSAM. D***2121124*.**T***110236*						
History files **D**-Data	**CS***9990*.**DATA.HY***PM*.**QSAM. D***2121218*.**T***110829*						
Budget Sequence <u>Sch 10</u> **D**-Data	**CS***9990*.**DATA.***CS10CY*.**QSAM. D***2121218*.**T***110552*						
Budget Sequence <u>Sch 10R</u>**D**-Data	**CS***9990*.**DATA.***CS10PY*.**QSAM. D***2121218*.**T***111029*						
Other files **D-**Data	**CS***9990*.**DATA.***AS*.**QSAM. D***2121215*.**T***094250* **CS***9990*.**DATA.***GP*.**QSAM. D***2121215*.**T***094833* **CS***9990*.**DATA.***DF*.**QSAM. D***2121215*.**T***095120* **CS***9990*.**DATA.***OP*.**QSAM. D***2121215*.**T***094050*						
Record format (all files and tables) **L**-Layout	**CS***9990*.**LAYOUT.***OP*.**QSAM. D***2121106*.**T***112645*						

RECORD KEY:

1 – CS   = stands for "**CALS**TARS"

2 – *9990*   = Organization Code of request/user

3 – DATA   = type of content, Command **G.1** and **G.2** (<u>***DATA***</u> or ***LAYOUT***)

4 – DT9990   = File ID (***DT*** = Descriptor table) **and** Org Code (org *0000* = statewide table)

     HY*PM*   = File ID (***HY*** = History File; **and** Period (<u>***PM***</u>, ***CM***, ***PY***)

     CS10CY   = File ID (***CS*** = Budget Sequence, *10* = Schedule 10) **and** Fiscal Year (***CY*** = Curr Yr)

     CS10RPY = File ID (***CS*** = Budget Seq, *10R* = Schedule 10R) **and** Fiscal Year (***PY*** = Pr Yr)

     AS   = File ID (***AS*** = Appropriation Symbol Table)

5 – QSAM   = type of file (text file)*

6 – D*2001124* = Date ('**D**') 1-digit Century, Year, Month and Day (*2121124* = November 24, 2012)

**7 – T***102247*   = Time ('**T**') file created, hhmmss (*102247* = 10:22:47 AM)

*   Table and File Copy Data Sets are not generated as a "zipped" file.

ACCESSING DATA FILES (DATA SETS)

Data sets can be accessed by using the OTech Time Share Option (TSO) and entering a USERID signon. The information in this section is not comprehensive or intended to replace training available from OTech, but it provides background information about the screens and basic coding needed to access data sets. The steps are shown here:

Step 1: Access the OTech timeshare option (TSO) by entering the authorized TSO domain code and pressing **Enter**. (Example: '**ctso**') See the following screen.

```
    HHHHH
    HHHHH              HEALTH AND WELFARE AGENCY DATA CENTER
    HHHHH                    for Official State Use Only
    HHHHH
    HHHHH                          S23GZ080
    HHHHH
    HHHHH  HHHHH     WWWWWW     WW        WWWWDDDDDDDDDDDD        CCCCCCC
    HHHHHHHHHHHHHHH  WWWWWW    WWWW     WWWWWWWDDDDDDDDDDDDDD  CCCCCCCCCCCCC
    HHHHHHHHHHHHHHHH WWWWWW WWWWWW WWWWWWW          DDDDD CCCCCC    CCCCC
    HHHHH     HHHHH  WWWWWWWWWWWWWWWWWW  DDDD     DDDD CCCC
    HHHHH      HHHHH  WWWWWWWWWWWWWWWWW  DDDD     DDDD CCCC
    HHHHH       HHHHH  WWWWWWW WWWWWWW   DDDD     DDDDD CCCCCC    CCCCC
    HHHHH        HHHHHH WWWWW    WWWWW   DDDDDDDDDDDDDD  CCCCCCCCCCCCC
    HHHHH        HHHHHH WWW      WWW     DDDDDDDDDDDD        CCCCCCC

  ctso
```

Step 2:   Key your TSO USERID and press **Enter**. Example: '**csxxx**'

```
  IKJ56700A ENTER USERID -

  csxxx
```

Step 3: In the space following "Password ===>" (prompted by the cursor position), key your password and press **Enter**.

      NOTE: the password will not be visible on the screen.

```
----------------------------- TSO/E LOGON ----------------------------------


    Enter LOGON parameters below:                   RACF LOGON parameters:

    Userid    ===> CSXXX

    Password  ===>                                  New Password ===>

    Procedure ===> TSOGENRL                         Group Ident  ===>

    Acct Nmbr ===> CSTSOXXX0T

    Size      ===> 4096

    Perform   ===>

    Command   ===>

    Enter an 'S' before each option desired below:
            -Nomail        -Nonotice       -Reconnect        -OIDcard

PF1/PF13 ==> Help     PF3/PF15 ==> Logoff     PA1 ==> Attention     PA2 ==> Reshow
You may request specific help information by entering a '?' in any entry field
```

Step 4: A new screen will appear which will show '***' or 'READY' on the last line. Press **Enter** if the '***' is present. When the 'READY' appears, key '**ispf**' and press **Enter**. **Alternatively**, **advanced** TSO users may by-pass the next two steps by keying **ispf 3.4** and pressing enter.

```
 IKJ56455I CSXXX LOGON IN PROGRESS AT 12:41:23 ON OCTOBER 28, 2010
    *********     Welcome to TSO on the Cannery shared MVS System *********
                  for Cannery information see SYS2.NEWS

   ** 10/28/10 The OTech Adabas/Natural Users Group will meet on
              Wednesday, November 3, 2010, at 1:00pm in the 7th floor
              conference room at DOF/CALSTARS on 915 L Street.  This is
              the perfect place to network with other users of Software
              AG products.  It is an excellent environment to discuss
              problems and develop workable solutions.  For more
              information, please contact OTech Adabas Support at
              adabas@state.ca.gov

   ** 10/27/10 A new QuickRef 7.3 database is available for testing on
              S1S1. Use QWTEST instead of QW to use the new database.  It
              will be installed as the production database on November
              28th. For problems contact George Chen @ 464-4164.
 ALLOCATING SYSPROC
 READY
 ispf
```

Step 5: In the space following "Option ===>" (prompted by the cursor position), key
3 and press **Enter**. ('UTILITIES' is selected.)

```
                          ISPF Primary Option Menu

    0   Settings      Terminal and user parameters        User ID . : CSXXX
    1   View          Display source data or listings     Time. . . : 12:44
    2   Edit          Create or change source data        Terminal. : 3278
    3   Utilities     Perform utility functions           Screen. . : 1
    4   Foreground    Interactive language processing     Language. : ENGLISH
    5   Batch         Submit job for language processing  Appl ID . : ISR
    6   Command       Enter TSO or Workstation commands    TSO logon : TSOGENRL
    7   Dialog Test   Perform dialog testing              TSO prefix: CSXXX
    9   IBM Products  IBM program development products    System ID : S1S1
    10  SCLM          SW Configuration Library Manager    MVS acct. : CSTSOXXX
    11  Workplace     ISPF Object/Action Workplace        Release . : ISPF 5.9
    H   HWDC Util     HWDC Utilities
    I   IOF           Interactive Output Facility
    P   PANVALET      Browse, Edit and Utilities


        Enter X to Terminate using log/list defaults


   Option ===>_____
    F1=Help     F2=Split     F3=Exit      F7=Backward F8=Forward   F9=Swap
   F10=Actions  F12=Cancel
```

Step 6: In the space following "Option ===>" (prompted by the cursor position), key
4 and press **Enter**. ('DSLIST' is selected.)

```
                          Utility Selection Panel
                                                              More:     +
    1   Library      Compress or print data set.  Print index listing.  Print,
                       rename, delete, browse, edit or view members
    2   Data Set     Allocate, rename, delete, catalog, uncatalog, or display
                       information of an entire data set
    3   Move/Copy    Move, or copy members or data sets
    4   Dslist       Print or display (to process) list of data set names.
                       Print or display VTOC information
    5   Reset        Reset statistics for members of ISPF library
    6   Hardcopy     Initiate hardcopy output
    7   Transfer     Download ISPF Client/Server or Transfer data set
    8   Outlist      Display, delete, or print held job output
    9   Commands     Create/change an application command table
    11  Format       Format definition for formatted data Edit/Browse
    12  SuperC       Compare data sets                         (Standard Dialog)
    13  SuperCE      Compare data sets Extended                (Extended Dialog)
    14  Search-For   Search data sets for strings of data      (Standard Dialog)
    15  Search-ForE  Search data sets for strings of data Extended (Extended Dialog)
   Option ===>_____
    F1=Help     F2=Split     F3=Exit      F7=Backward F8=Forward   F9=Swap
   F10=Actions  F12=Cancel
```

Step 7: In the space following "DSNAME LEVEL ===>" (move the cursor to this position), key **cs*nnnn*.*** (where '*nnnn*' is the org code) and press **Enter**. The '*' (asterisk) is a "wildcard" to display all data sets associated with the cs*nnnn* agency ID.

```
                        Data Set List Utility
                                                        More:      +
       blank Display data set list            P Print data set list
           V Display VTOC information         PV Print VTOC information

     Enter one or both of the parameters below:
        Dsname Level . . . CS9990.*
        Volume serial  . .

     Data set list options
        Initial View                  Enter "/" to select option
        1  1. Volume                  /  Confirm Data Set Delete
           2. Space                   /  Confirm Member Delete
           3. Attrib                  /  Include Additional Qualifiers
           4. Total                   /  Display Catalog Name
                                      /  Display Total Tracks

     When the data set list is displayed, enter either:
        "/" on the data set list command field for the command prompt pop-up,
     Option ===>
      F1=Help      F2=Split     F3=Exit      F7=Backward  F8=Forward   F9=Swap
     F10=Actions  F12=Cancel
```

Step 8: Referring to the line commands listed on the previous screen (Step 7), key **B** or **S** in the **left position** under the "COMMAND" column to retrieve the data set from archive and press **Enter**.

```
 DSLIST - DATA SETS BEGINNING WITH CS9990.* ---------------------- ROW 1 OF 12
 COMMAND ===>                                              SCROLL ===> PAGE

Command - Enter "/" to select action                   Message        Volume
--------------------------------------------------------------------------------
         CS9990.CSTARB04.RPME0001.DQ.D2001217.T204408                   D30768
         CS9990.CSTARB04.RPME0001.DZ.D2001217.T204408                   D30902
         CS9990.CSTARQ12.RCMY0001.NQ.D2001217.T134358    BROWSED        D93219
         CS9990.CSTARQ12.RPM-0230.NZ.D2001217.T134358                   D31153
         CS9990.CSTARQ16.RPM-0000.FQ.D2001217.T134359                   D93017
         CS9990.CSTARQ16.RPM-0000.FZ.D2001217.T134359                   D31145
         CS9990.DATA.AS.QSAM.D2001215.T094250                           D92273
    b    CS9990.FATRANS.INPUT1                           Info - S       CS1034
         CS9990.ISPF.V44.ISPPROF                                        CS1005
         CS9990.ISPF.ISPROF                                             D30259
         CS9990.LAYOUT.OP.QSAM.D2001109.T071849                         D30382
         CS9990.TS0.BROADCAST.MSGS                                      D30256
***************************** End of Data Set list ****************************

 Command ===>                                              Scroll ===> PAGE
  F1=Help      F2=Split     F3=Exit      F5=Rfind     F7=Up      F8=Down    F9=Swap
 F10=Left    F11=Right    F12=Cancel
```

Step 9: Using the '**S**', Information (short) command and pressing **Enter** displays the expiration date and other information about the data set.

NOTE: *The data set is **only available for 7 days** before it is deleted automatically by system maintenance.*

```
                              Data Set Information
                                                              More:      +
      Data Set Name . . . . : CS9990.FATRANS.INPUT1

      General Data                          Current Allocation
       Management class . . : MCPERM2        Allocated tracks  . : 150
       Storage class  . . . : SCSTD          Allocated extents . : 1
        Volume serial . . . : CS1034
        Device type . . . . : 3390
       Data class . . . . . : **None**       Current Utilization
        Organization  . . . : PS             Used tracks . . . . : 0
        Record format . . . : FB             Used extents  . . . : 0
        Record length . . . : 650
        Block size  . . . . : 27950
        1st extent tracks . : 150
        Secondary tracks  . : 15
        Data set name type  :                SMS Compressible  :   NO

        Creation date . . . : 2007/05/03     Referenced date . . : 2010/10/28
        Expiration date . . : 2155/12/31

      Command ===>_____
       F1=Help      F2=Split     F3=Exit      F7=Backward  F8=Forward   F9=Swap
      F12=Cancel
```

ACCESSING E1 DATA FILES

E1 report files can be downloaded onto a PC or a LAN using FTP file transfer software. There is no limit to the number of times a file may be downloaded during the storage period at OTech. Once downloaded, a file must first be un-zipped (uncompressed) before it may be viewed. A variety of software programs are available for this purpose.

The following steps are typically taken to retrieve and view an **E1** report file. However, the procedures may vary depending upon the software used. Through a local PC with electronic links to OTech, follow these steps:

✪ To copy the file from OTech to a local PC using the FTP file downloading software:

- Invoke the file downloading software.
- Connect to OTech using your FTP user name and password.
- Change the OTech working directory to CS.ESorg# (for most users, the default mainframe directory should be set to CS.ESorg#).
- Select the file to be downloaded.
- Select the PC directory where the downloaded file will be placed.
- Specify a binary transfer.
- Start the downloading process.
- Rename the downloaded PC file giving it a "zip" file extension (e.g.: Q12.zip).

   ✪ To uncompress the downloaded file using unzipping software:

- Invoke the unzipping software.
- Select the downloaded file.
- Select the report within the file (for E1 files there will be only one report).
- Select the PC directory where the unzipped report file will be placed.
- Start the unzipping process.
- Rename the unzipped report file giving it a "txt" or "prn" file extension (e.g., Q12.txt).

   ✪ To open the unzipped report file using report-viewing software (e.g: Monarch, MS Word)

- Format the report (if needed)

Since users can only access files in the CS.ES(agency code) directory using the FTP logon, agencies should set the FTP software's default mainframe directory to the CS.ES(agency code) file directory. Viewing other file directory lists through FTP software unnecessarily uses mainframe resources and increases the agency's data center charges.

If renaming the files cannot be accomplished using the file downloading and the unzip software, file names can be changed using Windows Explorer.

Resources Required To Retrieve E1 Files

To access the E1 files at the data center, agencies must establish an electronic link between a PC and the OTech FTP server. Some agencies may already be able to establish this link. Others many need to work with their agency's Information Technology section, CALSTARS Production Control, and OTech to make the connection.

All agencies are assigned a separate FTP logon that allows access to an OTech session specifically established for FTP transfers. This logon only allows access to the agency's CS.ES(agency code) file directory. Since multiple users can access the E1 files through FTP at the same time, only one logon is needed by an agency. Unlike CALSTARS and CTSO, the password for this logon does not expire. To activate the logon, the CALSTARS Agency Security Officer should contact the CALSTARS Production Control Unit at (916) 323-7541 or e-mail: prodcntl@dof.ca.gov.

Although the FTP logon password does not expire, an agency may change its password if desired. If the FTP software does not have a **new** password field, the password can still be changed. To change the password, type the following in the password field: the current password, a "/", the new password, a "/", and the new password again (e.g., Password: oldpassword/newpassword/newpassword). The new password is required the next time a client logs on.

The client's PC requires file downloading, unzipping, and report viewing software. The FTP file downloading software facilitates the transfer of the electronic file from OTech to the PC. There are many FTP file transfer software packages available. Some PC terminal emulator packages (e.g., Passport) also include downloading software. The unzipping software decompresses the file from "zipped" format to text format. Some software utility packages (like McAfee System Works) include zip-compression programs. In addition, there are many file compression software packages available that are compatible with the zipped file format. The report viewing software presents the text file in a form that may be displayed and printed. Agencies may already have some or all of these capabilities on their PCs as part of other software packages. If additional software is needed, the agency's software policies should be consulted prior to procurement.

CALSTARS supports Monarch software for working with report data files. Besides viewing the reports, this personal computer software allows clients to export data from the files to popular database and spreadsheet formats.

If clients only need to view the reports, most word processing packages may be used. The Windows operating system includes two simple word processors, Notepad and WordPad. Because Notepad cannot open large files, WordPad is generally a better choice for viewing CALSTARS reports. Other word processing packages (e.g. MS Word or WordPerfect) may be used, but additional formatting may be required so the report lines and spacing display correctly. Although formatting the reports takes a little extra work, using an agency's standard word processing package may be advantageous. For example, portions of the formatted reports may be sent as e-mail attachments to various managers and clients.

Retention Period For E1 Files

E1 report files are initially stored on disk at OTech. If a report file is not accessed for 35 days, the file is automatically archived to tape. An E1 file is retained at the data center for six years from the file creation date. At the end of the six-year period, the report file is deleted from the data center's disks or tapes. The file is deleted after six years regardless of how often the file has been accessed . The retention period can be set for eight years for the E1 report files, the CALSTARS Agency Security Officer must send a request via e-mail to calstars@dof.ca.gov and the request will be evaluated. If an agency wishes to delete an E1 file prior to its purge date the CALSTARS Agency Security Officer must send a request via e-mail to calstars@dof.ca.gov. The e-mail must include the file's data set name.

If a file has been archived to tape, the file must be moved back to disk before the file may be retrieved (downloaded). Therefore, retrieving a file after it is archived to tape will take longer than retrieving a file directly from disk. (During testing, the retrieval from tape storage to a PC took approximately one minute, but the time varies based on the data center's workload.) Clients are not required to submit a special request to have the report files moved from tape to disk. The process is automatic when the report file is requested.

Instructions For Selected Software

CALSTARS has detailed instructions on various CALSTARS report file software packages used internally by analysts. These include:

✪ How to perform an FTP transfer using Passport (v6.0-601) or WS_FTP LE (v5.08).

✪ How to unzip a downloaded file using PowerArchiver (v.6.11).

✪ How to format a downloaded CALSTARS report in MS Word.

✪ How to establish a MS Word 2000 macro that formats a downloaded CALSTARS report.

Copies of these instructions will be provided upon request. To request a copy, send an e-mail to calstars@dof.ca.gov. Please note that the instructions may need revision depending on the version of software you have.

MONARCH SOFTWARE

Monarch software is a data access and analysis tool that can view, extract, query and export report data.

Monarch for Windows is a PC based software program from the Datawatch Corporation. Monarch is a data access and analysis tool that will view, extract, query and export report data. Monarch's capabilities and benefits to CALSTARS agencies include:

✪ The ability to "mine data" from CALSTARS report files for further processing in other PC-based software.

✪ The reduction of re-keying of data.

✪ Special pricing for CALSTARS agencies.

✪ User-friendly software.

To further assist agencies, Monarch Training Classes are provided on an ongoing basis. The schedule of Monarch classes is available on the internet at http://www.dof.ca.gov/accounting/calstars/training/.

For information regarding the acquisition or operation of Monarch, contact CALSTARS at the following:

Phone: (916) 445-0211, ext. 2803
E-mail: calstars@dof.ca.gov
FAX: (916) 323-4049